


**IE-SP-129** 

# 1 Scope:

- 1.1 This specification is applicable to lead free and halogen free of ROHS directive for RAR series high precision Low-Resistance thick film chip resistors.
- 1.2 This product is for automotive electronic application.
- 1.3 AEC-Q200 qualified , grade 0.

# 2 Explanation Of Part Number:

(EX)



# **3 General Specifications:**

Туре	Rated Power at 70°C	Max. Rated Current	Max. Overload Current	T.C.R (ppm / ℃)	Resistance Range D(±0.5%) ∖ F(±1%) E-24 ∖ E-96
RAR (0603)	1 10 W	1.00A	2.50A	±200	$100m\Omega\!\leq\!R\!<\!1000m\Omega$
RAR (0805)	- <u>1</u> 8	1.11A	2.79A	±200	$100m\Omega\!\leq\!R\!<\!1000m\Omega$
RAR (1206)	<u>1</u> 3 W	1.82A	4.56A	±200	$100m\Omega\!\leq\!R\!<\!1000m\Omega$
RAR (1210)	W	2.23A	5.59A	±200	$100m\Omega\!\leq\!R\!<\!1000m\Omega$
RAR (2010)	<u>3</u> 4	2.73A	6.84A	±200	$100m\Omega\!\leq\!R\!<\!1000m\Omega$
RAR (2512)	1W	3.16A	7.90A	±200	$100m\Omega\!\leq\!R\!<\!1000m\Omega$
C	perating Tem	perature Rang	ge		-55℃ ~+155℃


	IE		QA	Remark	Lagua Dan DATA Conton
Written	Checked	Approved	Signing	IT'S NOT UNDER CONTROL FOR PDF FILE	Issue Dep. <b>DATA Center.</b>
永年午	王牌伟	SA	<b>尘幻</b> 陵	PLS NOTE THE VERSION STATED	Series No. <b>60</b>
				Do not copy without permission	



3.1 Power Derating Curve:

Temperature Range:  $-55^{\circ}C \sim +155^{\circ}C$ 

If the ambient temperature exceeds 70 degrees centigrade to 155 degrees centigrade, the power can be modified by the curve as below.



3.2 Current Rating:

Rated Current: DC current or AC current (rms) based on the rated power. The current can be calculated by the following formula. If the calculated value exceeds the Max. current specified in the Table 3, the Max. current rating is set as the current rating.

$$I = \sqrt{P/R}$$

I= Rated current (A) P= Power rating (W) R= Nominal resistance(Ω)

Remark	IT'S NOT UNDER CONTROL FOR PDF FILE PLS NOTE THE VERSION STATED	Issue Dep. <b>DATA Center.</b>
	Do not copy without permission	Series No. <b>60</b>



#### **Document No. RAR Series Low-Resistance Thick Film Chip IE-SP-129 Resistors Product Specification Released Date** 2021/07/15 (Automotive Grade) Page No.


3


# **4** Dimensions:

R470	M
	1
	E
	1

						Unit: mm
Туре	Dimension Size Code	L	W	н	L1	L2
RAR	0603	1.60±0.10	0.80±0.10	0.45±0.10	0.25±0.15	0.35±0.15
RAR	0805	2.00±0.10	1.25±0.10	0.50±0.10	0.35±0.20	0.35±0.20
RAR	1206	3.05±0.10	1.55±0.10	0.50±0.10	0.45±0.20	0.65±0.25
RAR	1210	3.05±0.10	2.55±0.10	0.55±0.10	0.50±0.20	0.50±0.20
RAR	2010	5.00±0.20	2.50±0.20	0.60±0.10	0.65±0.20	0.65±0.20
RAR	2512	6.30±0.20	3.20±0.20	0.60±0.10	0.65±0.20	0.65±0.20

# 5 Structure Graph:





1	Ceramic substrate	7	2nd Bottom inner electrode
2	Top inner electrode	8	G2 layer + Marking
3	Resistive layer	9	Terminal inner electrode
4	1 <sup>st</sup> Bottom inner electrode	10	Ni plating
5	1st Protective coating	11	Sn plating
6	2nd Protective coating		

Issue Dep.DATA Center. IT'S NOT UNDER CONTROL FOR PDF FILE PLS NOTE THE VERSION STATED... Remark Series No.60



### RAR Series Low-Resistance Thick Film Chip Resistors Product Specification Document No. IE-SP-129 **Released Date** (Automotive Grade) Page No.

2021/07/15 4

# 6 Reliability Test:

	Reliability lest:					
	Item	Conditions		Specifications		
	High		∆R%= ±2.0	Resistors 0%		
	Exposure (Storage)	its resistance variance rate. Experiment evidence: AEC-Q200				
	Temperature Cycling	Put the specimens in the High & low temperature test chamber with temperature varies from $-55^{\circ}$ C to $125^{\circ}$ C for 15 minutes and total 1000 cycles. Then take them out to stabilize in room temperature for $24\pm4hr$ or more, and measure of its resistance variance rate.	∆R%= ±2.(	0%		
-	Short Time Overload	release the load for about 30 minutes, then measure its resistance variance rate. (Rated current refers to item 3. general specifications)	∆R%= ±2.(	0%		
	Biased Humidity	Refer to JIS-C5201-1 4.13 Solder the specimens on the test PCB and put them into the constant temperature humidity chamber with 85±2°C and 85±5%RH. Then apply the test voltage that calculates based on the 10% of rated power for 1000hrs. Then take them out to stabilize in room temperature for 24±4hr or more, and measure of its resistance variance rate.	∆R%=±3.0	)%		
	Operational Life	Experiment evidence: AEC-Q200 Solder the specimens on the test PCB and Put them in the chamber with temperature of 125±3°C and load the current for 1000 hours. Then take them out to stabilize in room temperature for 24±4hr or more, and measure of its resistance variance rate. Note: The input current shall refer to the power de-rating curve (referring to page 2,No.3.2) Experiment evidence: AEC-Q200	<b>△R%=±3.</b> 0	)%		
	Solder the specimens on the test PCB and put the PCBA onto the Bending Tester. Add force at the central part of PCB, and the duration of the applied forces shall be 60 (+ 5) Sec. Measure of its resistance variance rate in load. Bending TestBoard Flex (Bending Test)Bending depth D:0603 \ 0805=5mm 1206 \ 1210=3mm 2010 \ 2512=2mm		A <u>△R%=±2.0%</u> No mechanical damage, peel-off of side end or chip crack.			
		Experiment evidence: AEC-Q200				
Rema	rk	IT'S NOT UNDER CONTROL FOR PDF FILE PLS NOTE THE VERSION STATED		Issue Dep.DATA Center.		
		Do not copy without permission		Series No. <b>60</b>		



# RAR Series Low-Resistance Thick Film Chip Resistors Product Specification (Automotive Grade)

Document No.IE-SP-129Released Date2021/07/15

Page No.

5

		- *	
			Specifications
	Item	Conditions	Resistors
	esistance to Soldering Heat	The specimens are fully immersed into the Pb-free solder pot, then take them out to stabilize for 1 hour or more and measure of its resistance variance rate. Temp of solder pot : $260\pm5^{\circ}$ C Soldering duration : $10\pm1$ sec.	△R%=±2.0%
		Experiment evidence AEC-Q200	
	ESD	Put the specimens on the test fixture and two (2) discharges (2KVDC) shall be applied to each PUT, one (1) with a positive polarity and one (1) with a negative polarity. Afterwards, the specimens stabilize for 30min or more and measure of its resistance variance rate. The test is performed with direct contact and regular discharge mode. The resistor and capacitor used on the spearhead is $2000\Omega$ and $150$ pF respectively.	△R%=±3.0%
		Experiment evidence AEC-Q200	
s		Test method: Test item 1 (solder pot test): Method B Precondition: The specimens are subjected to $155^{\circ}$ C dry bake for 4hrs±15min. The specimens are immersed into the flux first, then fully immersed into the solder pot, at a temperature of $235\pm 5^{\circ}$ C for 5+0/-0.5 sec. Then rinse with water and observe the soldering coverage under the microscope. Test item 2 (Leaching test): Method D The specimens are immersed into the flux first, then fully immersed into the solder pot, at a temperature of $260\pm5^{\circ}$ C for 30+0/-0.5 sec. Then rinse with water and observe the soldering coverage under the microscope. Experiment evidence AEC-Q200 (R2-R1)	1.Soldering coverage over 95% 2.At the edge of terminal, the object underneath (e.g. white ceramic) shall not expose. Refer to item 3. General specifications
		TCR (ppm/°C) = $R1(T2-T1)$ ×10 <sup>6</sup>	
	Electrical	R1: Resistance at room temperature ( $\Omega$ ) R2: Resistance at -55°C or +125°C( $\Omega$ ) T1: Room temperature (°C) T2: Temperature -55°C or +125°C	
		Experiment evidence: AEC-Q200	
L			1
emark		IT'S NOT UNDER CONTROL FOR PDF FILE PLS NOTE THE VERSION STATED	Issue Dep.DATA Center.
		Do not copy without permission	Series No. <b>60</b>



# RAR Series Low-Resistance Thick Film Chip<br/>Resistors Product Specification<br/>(Automotive Grade)Document No.IE-SP-129Released Date2021/07/15Page No.6

### 7 Measurement Point:

Measure from bottom electrodes			Unit : mm
A	DIM TYPE	А	В
	RAR0603	1.35±0.05	0.35±0.05
	RAR0805	1.80±0.05	0.35±0.05
	RAR1206	2.90±0.05	0.35±0.05
Current Terminal	RAR1210	2.90±0.05	0.35±0.05
<b>U</b>	RAR2010	4.50±0.05	1.15±0.05
Oltage Terminal	RAR2512	5.90±0.05	1.60±0.05

# 8 Plating Thickness:

- 8.1 Ni: $\geq$ 2 $\mu$ m
- 8.2 Sn(Tin): $\geq$ 3 $\mu$ m
- 8.3 Sn(Tin):Matte Sn

# 9 Rule of package empty quantity:

9.1 Empty quantity for each reel is not allowed to exceed 0.1% of the whole quantity, and continuous 2pcs (included) empty are also unallowed.


Remark	IT'S NOT UNDER CONTROL FOR PDF FILE PLS NOTE THE VERSION STATED	Issue Dep. <b>DATA Center.</b>
(emark	Do not copy without permission	Series No. <b>60</b>

	RAR Series Low-Resistance Thick Film Chip	Document No.	IE-SP-129
9	Resistors Product Specification	<b>Released Date</b>	2021/07/15
	(Automotive Grade)	Page No.	7

- 10 Technical application notes: (This is for recommendation, please customer perform adjustment according to actual application)
  - 10.1 Recommend Soldering Method:


아비코펀지

10.1.1Lead Free IR Reflow Soldering Profile (MEET J-STD-020D)



Remark: The peak temperature of soldering heat is 260 +5/-0  $^{\circ}$ C for 10 seconds


10.1.2Lead Free Double-Wave Soldering Profile. (This applies to 0603 and above size products)





## 10.2 Recommend Land Pattern Design (For Reflow Soldering)

When a component is soldered, the resistance after soldering changes slightly depending on the size of the soldering area and the amount of soldering. When designing a circuit, it is necessary to consider the effect of a decrease or increase in its resistance.



			Unit:mm
DIM	А	В	С
RAR0603	0.8	2.1	0.9
RAR0805	1.2	3.0	1.3
RAR1206	2.2	4.2	1.6
RAR1210	2.2	4.2	2.8
RAR2010	3.5	6.1	2.8
RAR2512	3.8	8.0	3.5

10.3 Automobile Electronic Application:

This specification is for automobile electronic use. RALEC will take no responsibility if any damage, cost or loss occurs when the product has been used in any special circumstances.

- (a) Information , entertainment , navigation , audio control units.
- (b) Comfortable door, window, seat control unit.
- (c) Internal lighting control unit.

### 10.4 Environment Precautions:

If consumer intends to use our company product in special environment or condition (including but not limited to those mentioned below), then will need to make individual recognition of product features and reliability accordingly.

- (a) Used in high temperature and humidity environment
- (b) Exposed to sea breeze or other corrosive gas, such as Cl2 · H2S · NH3 · SO2 and NO2.
- (c) Used in non-verified liquids including water, oil, chemical and organic solvents.
- (d) Using non-verified resin or other coating material to seal or coat our Company product.
- (e) After soldering, it is necessary to use water-soluble detergents to clean residual solder fluxes, even though no-clean fluxes are recommended.

Remark	IT'S NOT UNDER CONTROL FOR PDF FILE PLS NOTE THE VERSION STATED.	Issue Dep. <b>DATA Center.</b>
	Do not copy without permission	Series No. <b>60</b>



10.5 Momentary Overload Precautions:

The product might be out of function when momentary overloaded. Please make sure to avoid momentary overloading while using and preserving.

- 10.6 Operation and Processing Precautions:
  - (a) Avoid damage to the edge of resistor and protective layer caused by mechanical stress.
  - (b) Handle with care when printing circuit board (PCB) is divided or fixed on support body, because bending of printing circuit board (PCB) mounting will make mechanical stress for resistors.
  - (c) Make sure the power rating is under the limit when using the resistor. When power rating is over the limit, the resister will be overloaded. There might be machinery damage due to the climbing temperature
  - (d) If the resister will be exposed under massive impact load (shock wave) in a short period of time, the working environment must be set up well before use.
  - (e) Please make evaluation and confirmation when the product is well used in your company and have a through consideration of its fail-safe design to ensure the system safety.


# **11 Storage and transportation requirement:**

- 11.1 The temperature condition must be controlled as  $25\pm5^{\circ}C$ , and the R.H. must be controlled as  $60\pm15\%$ . The stock can maintain quality level in two years.
- 11.2 Please avoid the mentioned harsh environment below when storing to ensure product performance and its' weldability. Places exposed to sea breeze or other corrosive gas, such as Cl2 VH2S VH3 SO2 and NO2.
- 11.3 When the product is moved and stored, please ensure the correct orientation of the box. Do not drop or squeeze the box. Otherwise, the electrode or the body of the product may be damaged.

Remark	IT'S NOT UNDER CONTROL FOR PDF FILE PLS NOTE THE VERSION STATED	Issue Dep.DATA Center.
	Do not conv without normicoion	Series No. <b>60</b>
	Do not copy without permission	



12 The carton packaged for electronic-information products is made by the symbol as follows: (For china)



# 13 Attachments:

13.1 Document Revise Record

(QA-QR-027)

Remark	IT'S NOT UNDER CONTROL FOR PDF FILE PLS NOTE THE VERSION STATED	Issue Dep.DATA Center.
		Series No. <b>60</b>



## Legal disclaimer

RALEC, its distributors and agents (collectively, "RALEC"), hereby disclaims any and all liabilities for any errors, inaccuracies or incompleteness contained in any product related information, including but not limited to product specifications, datasheets, pictures and/or graphics. RALEC may make changes, modifications and/or improvements to product related information at any time and without notice.

RALEC makes no representation, warranty, and/or guarantee about the fitness of its products for any particular purpose or the continuing production of any of its products. To the maximum extent permitted by law, RALEC disclaims (i) any and all liability arising out of the application or use of any RALEC product, (ii) any and all liability, including without limitation liability for any loss of profits or for direct, indirect, special, punitive, consequential or incidental damages arising out of or related to RALEC products, and (iii) any and all implied warranties, including warranties of fitness for a particular purpose, non-infringement and merchantability.

RALEC defined this product is for automotive electronic use, not design for any application for medical life-saving or life support equipment, or any application which may inflict casualties if RALEC product failure occurred. Any and all technical advice furnished by RALEC with reference to the use of RALEC products are given free of charge and RALEC assumes no obligation or liability for the advice given or results obtained, and all such advice are given and accepted at buyer's risk. Buyer shall assume all risk and liability for the results obtained by the use of any RALEC products in combination with other articles or material or in the practice of any process, regardless of any oral or written technical statement made by RALEC with respect to the use of such products by way of technical advice or otherwise. Further, buyer represents and warrants that it has the experience and capacity of determining the correct product for its intended application.

Information provided here is intended to indicate product specifications only. RALEC reserves all the rights for revising this content without further notification, as long as products are unchanged. Any product change will be announced by ECN.

Issue Dep.DATA Center. IT'S NOT UNDER CONTROL FOR PDF FILE PLS NOTE THE VERSION STATED ... Remark Series No.60